


Type:	DDMP 7/7	Watt:	1074	Amp Max:	4.62
Motor:	1416A0	Volt:	220/240 1~	Prot.:	IP 44
Test nr.:	S4884.*	Hz:	50/60	T.H.:	YES-IN
Date:	10/02/2015	Poles:	8	Ins. Cl.:	F


ErP 2015



This test data obtained in a laboratory registered by AMCA for AMCA 210 air performance testing. Data is not certified by AMCA.

Type:	DDMP 7/7	Watt:	1074	Amp Max:	4.62
Motor:	1416A0	Volt:	220/240 1~	Prot.:	IP 44
Test nr.:	S4884.*	Hz:	50/60	T.H.:	YES-IN
Date:	10/02/2015	Poles:	8	Ins. Cl.:	F


ErP 2015



This test data obtained in a laboratory registered by AMCA for AMCA 210 air performance testing. Data is not certified by AMCA.

Type:	DDMP 7/7	Watt:	1074	Amp Max:	4.62
Motor:	1416A0	Volt:	220/240 1~	Prot.:	IP 44
Test nr.:	S4963.*	Hz:	50/60	T.H.:	YES-IN
Date:	05/05/2015	Poles:	8	Ins. Cl.:	F

ErP 2015



This test data obtained in a laboratory registered by AMCA for AMCA 210/99 air performance testing. Data is not certified by AMCA.