



Steel exhaust valves type DVS ZW (RAL 9005)

Steel air exhaust valves with adjustable core and mounting frame

Brand

- Cairox

Application

- Wall or ceiling mounted valves used for air exhaust inside buildings.
- Suitable for small spaces such as toilets, storage room, bathroom, etc.

Material

- Steel

Colour

- Standard colour black, RAL 9005

Composition

- Pressed steel grille with adjustable core, supplied with galvanized steel mounting frame

Mounting

- Fixing in the mounting frame

Order example

- **DVSZW, 100**

Explanation

DVSZW = Type valve (incl. mounting frame and clamping ring)

100 = Connection diameter


Price per full box, only full boxes.

Symbols and specifications


- Q = Air volume in m³/h
- Ps = Static pressure loss in Pa
- Lw(A) = Acoustic power in dB(A), based upon measured Lp acoustic pressures increased by 4 dB(A) room attenuation
- r = Gap between the central core and the valve body

Selection Graph


DVS80




DVS 100




DVS125




DVS150




DVS160



DVS200



Air valves



Dimensions					
	ØD [mm]	ØN1 [mm]	h [mm]	ØN2 [mm]	L [mm]
DVSZW080	79	105	45	115	27
DVSZW100	99	125	45	137	28
DVSZW125	124	150	45	164	29
DVSZW160	159	185	45	212	31
DVSZW200	199	225	45	248	33